Pixel Panel

FilaSorb™ 24

acoufelt
making quiet

Distributed by

GRAYKING
INTERIOR SUPPLY

Product Detail

Product	Pixel
Surface	Wall and ceiling
Composition	100% polyester
Material	FilaSorb™
Recycled Content	60% min
Dimensions	1220 x 2800mm Custom size available upon request
Thickness	24mm +/- 10%

Guarantees

Warranty against defects	20 years*
Light fastness warranty	20 years*

*conditions apply

QuickShip available

Technical Data

Indoor Air Quality	SCS-EC10.3-2014 v4.0 meeting standard CDPH/EHLB Standard Method v.1.2-2017, ≤ 0.5mg/m³
Light Fastness	ISO 105-B02, 6-7
Fire Test Method	AS/ISO 9705.1, Group 1 ASTM E84-17a, Class A EN 13501-1:2018

Environmental Attributes

- One square meter diverts 108 x PET (600ml) drinking bottles from landfill
- LCB Red List free
- Phenol & formaldehyde free
- Total VOC's 0.5 mg/m³ or less
- CDPH compliance
- Complies with building standards

Acoustic Performance

Sound Absorption	ASTM E795 NRC 0.60 (no air gap)

*Graph not to scale.

Frequency (Hz)	125	250	500	1000	2000	4000	**NRC**
α_s	0.02	0.57	0.41	0.58	0.87	0.85	**0.60**

Distributed by

Grayking Interior Supply Pty Ltd

NSW
65A Stephen Road
Botany New South Wales 2019
(02) 9666 6688
sales@grayking.com.au

QLD
(07) 3267 6222
sales@grayking.com.au

acoufelt making quiet

Colorways

Charcoal + Butter

Marine + Wasabi

Metal + Marine

Pearl + Wasabi

Midnight + Marine

Carrot + Midnight

Pearl + Carrot

Metal + Slate

Carrot + Charcoal

Midnight + Butter

Grey + Wasabi

Wasabi + Marine

Slate + Pearl

Butter + Carrot

Butter + Slate

Custom colorways and combinations available on request

Mounting Methods

Construction Adhesive

Z-Clip Mount

Pot Magnet Install

acoufelt making quiet