

# SAS720


**SAS**  
International




Distributed by




# Overview

| SYSTEM GROUP  | GRID  |
|---|---|
|  | Notched EMAC Grid<br>EMAC Hanger suspension |
| Linear Profile Ceiling  |   |

| PROFILE   | MATERIAL     |
|---|--------------|
|  | <b>Steel</b> |
| Plank<br>C-Profile  |              |

| APPLICATION           | END CAPS  |
|-----------------------|---|
| Interior and Exterior |  |
|                       |   |

| ACCESS  | SYSTEM WEIGHT              | LIFE EXPECTANCY |
|---|----------------------------|-----------------|
|  | <b>0.9</b> Kg/Lm<br>+ Grid | <b>25yr</b>     |
| Full – demountable<br>profiles  | In excess of               |                 |



SAS720 is a linear ‘plank’ system, available in a variety of widths and depths depending on aesthetic preference. Highly robust and sturdy, SAS720 is suitable for service integration as an integral design feature, offering significant creative flexibility.

SAS720 comprises steel rolled c-profiles which hook over the carrier. Costs can be controlled through wider profile spacing if required.

## Profile Sizes

|                 |                    |
|-----------------|--------------------|
| Standard Length | 3000mm             |
| Standard Width  | 50mm, 100mm, 150mm |
| Standard Depths | 30mm               |

Bespoke profiles sizes and waveform profiles are available on request. Longer continuous runs can be achieved through splices.

## Access

SAS720 profiles can simply be demounted for void access.

## Finishes

SAS720 is available in all standard SAS finishes, please refer to page 105. Bespoke finishes are available on request.

## Service Integration

SAS720 profiles can be formed with apertures during manufacturing for integration with lights and other services.


## Technical Support

Please contact our technical team for all questions relating to access, bespoke features and service integration.




## Perspective Drawing

- 1 Emac Hanger
- 2 SAS720 C Profile Bracket
- 3 Notched Emac Grid
- 4 C Profile
- 5 C Profile Splice
- 6 Carrier Splice
- 7 Wall Anchor



## Section Drawing







SAS**720**

Royals Business Park, Building 1000

Location  
**London, UK**  
Architect  
**Sheppard Robson**

Contractor  
**Overbury  
Interiors Plc**  
Purpose  
**Commercial**



SAS**720**

Zig Zag Building, London

Location  
**London, UK**  
Architect  
**HLW International**

Contractor  
**BW Interiors Ltd**  
Purpose  
**Commercial**





SAS**720**

Top  
Hamilton Square Station

Location  
**Liverpool, UK**  
Architect  
**Lend Lease**


Contractor  
**Miller Construction**  
Purpose  
**Transport**

Bottom  
KPMG, Sovereign Street

Location  
**Leeds, UK**  
Architect  
**Sheppard Robson**

Contractor  
**Morgan Sindell/ISG**  
Interior Exterior  
Purpose  
**Commercial**





SAS**720**

## University of Aberdeen Library

Location  
**Aberdeen, UK**  
Architect  
**Schmidt Hammer  
Lassen**

Contractor  
**PIHL UK**  
Purpose  
**Education**





SAS Plus offers the system designer access to SAS' in-house design team to collaborate on bespoke ceiling specification. Systems can be variants of standard SAS offerings, or completely bespoke designs.

**Call us for more details.**

Distributed by



**Grayking Interior Supply Pty Ltd**

NSW

📍 65A Stephen Road  
Botany New South Wales 2019 (02)  
☎ 9666 6688  
✉ [sales@grayking.com.au](mailto:sales@grayking.com.au)

QLD

☎ (07) 3267 6222  
✉ [sales@grayking.com.au](mailto:sales@grayking.com.au)