


SAS750






SAS
International

Distributed by



Overview

SYSTEM GROUP		SUSPENSION METHOD	
		SAS Carrier Rail Threaded Rod suspension	
Linear Profile Ceiling			
PROFILE		MATERIAL	
		Aluminium or Steel	
Tubular – as standard			
APPLICATION		END CAPS	
Interior Exterior (aluminium)			
ACCESS	SYSTEM WEIGHT	LIFE EXPECTANCY	
Full void access	0.5-1.5Kg/Lm	25yr	
	Depending on diameter + Grid	In excess of	

SAS750 Tubeline



SAS750 Tubeline fosters dynamic and impactful design along with practical considerations such as access and service integration. Tubeline offers specifiers numerous design features, such as curves and waveforms, as well as horizontal, vertical, interior and exterior mounting.

Available as either aluminium extrusions or rolled steel tubular sections, Tubeline also offers full lighting integration and visually discrete access.

Profile Sizes

Standard Length	3000mm
Standard Dimensions	25mm 50mm

SAS750 can accommodate a wide range of bespoke profile shapes, sizes and waveform profiles, all available on request. Longer continuous runs can be achieved through splices.

Access

Void access can be achieved through demounting profiles or integrated access hatches.

Finishes

SAS750 Tubeline is available in all standard SAS finishes, please refer to page 105. Bespoke finishes are available on request, including polished and anodised (aluminium only).

Service Integration

Full services and lighting integration

Technical Support

Please contact our technical team for all questions relating to access, bespoke features and service integration.




SAS750 Tubeline




Perspective Drawing

- 1 Threaded Rod (by others)
- 2 Tubeline Carrier
- 3 Tubular Profile
- 4 End Cap (supplied loose)
- 5 Splices



Section Drawing



All dimensions are in mm.




SAS**750** Tubeline

John Lewis, Birmingham

Location
Birmingham, UK
Architect
Haskoll Architects

Contractor
Mace Ltd
Purpose
Retail



SAS**750** Tubeline



Cannon Street Station

Location
London, UK
Architect
Foggo Associates

Contractor
Laing O'Rourke
Purpose
Transport



SAS**750**^{plus}




Westfield, Stratford City

Location
London, UK
Architect
**Westfield Shopping
Towns Ltd**

Contractor
**Westfield Shopping
Towns Ltd**
Purpose
Retail



SAS**750**^{plus}



The Gateway Pavilion

Greenwich, London

Location
London, UK
Architect
**Marks Barfield
Architects**

Contractor
Wates
Purpose
Retail



SAS Plus offers the system designer access to SAS' in-house design team to collaborate on bespoke ceiling specification. Systems can be variants of standard SAS offerings, or completely bespoke designs.

Call us for more details.

Distributed by



Grayking Interior Supply Pty Ltd

NSW

📍 65A Stephen Road
Botany New South Wales 2019 (02)
☎ 9666 6688
✉ sales@grayking.com.au

QLD

☎ (07) 3267 6222
✉ sales@grayking.com.au