

STACK PANEL



Viroc

Distributed by



grayking.com.au

Viroc

Concrete style and strength, the clever way

From raw industrial vibes to a sophisticated urban feel, concrete is on the rise in interior design. Viroc is the clever new product making concrete style more achievable (with big functional benefits).

A cement bonded particle board (CBPB) material, Viroc combines the flexibility of pine wood particles with the strength and durability of cement. With the look of real concrete panels, it's the smart way to ensure interior walls make a statement in contemporary homes, hotels, restaurants, foyers and commercial fit-outs.

Take your pick of textures, with the choice of a polished, raw or sanded finish in different colours. Select contrasting shades or juxtaposition concrete-look panels with other materials for elegant effect. Go understated or choose to stand out: Viroc makes it all possible.

And Viroc offer much more than good looks. It has the easy workability and installation of wood backed by structural strength you can count on. Great sound and thermal insulation boost the comfort factor for modern living, dining, relaxing, meeting, working or shopping.

Importantly, Viroc is non-toxic with no asbestos or formaldehyde. Moisture resistant and fire retardant, it delivers compliance and peace of mind.

Profiles

3000 x 1250mm

8mm
18mm
19mm
28mm
Other size and thicknesses available on order.



CAD files

Download the latest CAD files from the product section of stackpanel.com.au

Viroc White Raw

viroc

Viroc


Product Code	Description	Thickness mm	Profile Length mm	Profile Width mm	Kgs per Sheet
PR-VRC-COM-08X3000X1250-GRY-RAW	Grey Raw Viroc 08x3000x1250mm	8mm	3000	1250	40.5
PR-VRC-COM-08X3000X1250-BLK-RAW	Black Raw Viroc 08x3000x1250mm	8mm	3000	1250	40.5
PR-VRC-COM-08X3000X1250-GRY-SND	Grey Sanded Viroc 08x3000x1250mm	8mm	3000	1250	40.5
PR-VRC-COM-08X3000X1250-BLK-SND	Black Sanded Viroc 08x3000x1250mm	8mm	3000	1250	40.5
PR-VRC-COM-18X3000X1250-GRY-SND	Grey Sanded Viroc 18x3000x1250mm	18mm	3000	1250	91.1
PR-VRC-COM-18X3000X1250-BLK-SND	Black Sanded Viroc 18x3000x1250mm	18mm	3000	1250	91.1
PR-VRC-COM-19X3000X1250-GRY-RAW	Grey Raw Viroc 19x3000x1250mm	19mm	3000	1250	96.1
PR-VRC-COM-19X3000X1250-BLK-RAW	Black Raw Viroc 19x3000x1250mm	19mm	3000	1250	96.1
PR-VRC-COM-28X3000X1250-GRY-RAW	Grey Raw Viroc 28x3000x1250mm	28mm	3000	1250	142
PR-VRC-COM-28X3000X1250-BLK-RAW	Black Raw Viroc 28x3000x1250mm	28mm	3000	1250	142
PR-VRC-COM-28X3000X1250-GRY-SND	Grey Sanded Viroc 28x3000x1250mm	28mm	3000	1250	142
PR-VRC-COM-28X3000X1250-BLK-SND	Black Sanded Viroc 28x3000x1250mm	28mm	3000	1250	142

Viroc Grey Raw

Viroc Red Raw

Viroc Grey Raw

SIP



Viroc Grey Raw

Viroc Black Raw

Viroc Grey Raw

With its concrete-look moods and variety of colours and finishes, Viroc signals a new era for internal walls.

- Restaurants
- Foyers
- Hotels and bars
- Reception areas
- Auditoriums
- Schools
- Bathroom and kitchens
- Retail fit-outs
- Commercial fit-outs
- Table tops

There are so many great reasons to choose Viroc.



On-trend, cost-effective concrete style

Edgy, elegant concrete-look panels (in variety of finishes) for interior walls.



Non-toxic

No dangerous volatile compounds and free of silica, asbestos and formaldehyde.



Sound insulation

Delivers good sound insulation according to board thickness (airborne sound resistance up to 37 dB for thickness of 22mm).



Structural strength

The board's bending strength allows it to be used as a versatile structural support material that carries weight well.



Flexibility and installation

Viroc can be cut, drilled and sanded. The tools and fastening systems are identical to those used with wood, so installation is easy and straightforward. No need to render walls, employ specialised concrete polishers or allocate drying time.



Fire retardant

It prevents the spread of fire. According to the ignitability test conducted, it is classified as Group 1 combustible material.



Pest and rot resistant

Resistant to fungi, termites and insects.




Thermal insulation

Excellent thermal insulation, ideal for both hot and cold climates.



Moisture resistant

Impermeable to water and resistant to water vapour, however it does stain if not sealed.



Viroc Grey Raw

Viroc Grey Raw


Viroc Grey Raw




Colours and textures*

Double-sided panels provide flexible finishes for different moods and styles:

- **Raw:** natural panel with cement surfaces.
- **Sanded:** panel calibrated with visible wood particles on the surface.
- **Polished:** machine polished raw side for glossier concrete-look surface.



Black (BLK) Polished | Raw | Sanded



Grey (GRY) Polished | Raw | Sanded



White (WTE) Polished | Raw | Sanded



Ochre (OCH) Polished | Raw | Sanded



Yellow (Y) Polished | Raw | Sanded



Red (RD) Polished | Raw | Sanded

* Black and Grey held in stock. Remaining colours available dependent on quantity per project. Unstocked items can have lead times for up to 12 weeks from receipt of order.



STACK PANEL

Phone 02 9666 6688 (NSW) 07 3267 6222 (QLD)
Email sales@grayking.com.au
grayking.com.au