

Woodworks™ Linear Planks

Armstrong®
CEILING SOLUTIONS



WOODWORKS™

Woodworks™ Linear Planks

Laminates



FL(L) – Flaxen



AC(L) – Acacia



TE(L) – Tasman Elm

Veneers (Also available in Laminates)



HP(L)(V) – Hoop Pine
Rotary Cut



TO(L)(V) – Tasmanian
Oak Quarter Cut



AW(L)(V) – American
Walnut Crown Cut

- Attractive linear visual
- Easy to install, pre-engineered grid and plank system – all from one supplier
- Acoustical performance for a more comfortable environment
- Range of veneers and laminates
- Two standard plank widths; 80mm or 130mm, with 20mm reveals
- Ceiling or wall application

Colours are representative and may vary from samples and actual product.



Physical Data

System Selection

Edge Profile	Item Number	Dimensions	Acoustics: NRC
WOODWORKS™ Linear – Nominal 100mm Module	WO80	2400 x 80 x 17mm with 20mm reveal Open area: 18%	0.50* 0.80* with Optra 15 overlay
WOODWORKS Linear – Nominal 150mm Module	WO130	2400 x 130 x 17mm with 20mm reveal Open area: 12%	0.45* 0.65* with Optra 15 overlay

* Note: Acoustic values based on open area and other correlating WoodWorks test data.



Conforms with NCC
Spec. C1.10 as tested
to AS 5637.1:2015 –
Group 3



Moisture
Resistant MDF



Suspension System

Item Number	Description	Dimensions	Pieces/Carton
BP734043BLW100	PeakForm™ Prelude™ XL 24mm Main Bars (Black) with integrated (factory applied) locking clips installed at 100mm centres	3600 x 24 x 43mm	10
BP734043BLW150	PeakForm™ Prelude™ XL 24mm Main Bars (Black) with integrated (factory applied) locking clips installed at 150mm centres	3600 x 24 x 43mm	10

Accessories and Specification

Item Number	Description	Item Number	Description
WWLS80	Linear Wood Plank Splice 80mm	WWLS130	Linear Wood Plank Splice 130mm

Linear Plank

Linear Splice

Linear Plank

Linear Splice Detail


Access Panel Assembly

Specification:	WOODWORKS Linear Planks with Black PeakForm™ Prelude™ XL 24mm Tee Suspension Grid, with factory pre-fitted locking clips. Main Bars to be installed at 600centres	Plank Sizes:	80mm or 130mm
Application:	WOODWORKS™ are for interior application only	System Weight:	10.5 kg/m ² (80mm plank with Prelude XL 24mm Grid) 12.5 kg/m ² (130mm plank with Prelude XL 24mm Grid)
Panel Material:	Moisture Resistant MDF	Perimeter Solutions:	Range of standard Axiom aluminium wall angles, transition trims or pelmets
Surface Finish:	Laminate, Veneer. Note: Variation among panels may occur due to the natural characteristics of the wood and grain	Item Numbers:	Item numbers have three elements:
Acoustic Inlay:	Black acoustic fleece as standard		

EXAMPLE: **WO80 HP (L) (V)**

Panel: Linear Plank 80mm wide Finish: Hoop Pine Rotary Cut Material: Laminate or Veneer

Ceiling to Wall Transitions



90° Ceiling-to-Wall System Assembly



Distributed by



Grayking Interior Supply

☎ NSW (02) 9666 6688
 QLD (07) 3267 6222
 ✉ sales@grayking.com.au
 🌐 grayking.com.au



Madex Linings & Ceiling Distributors

☎ VIC (03) 9336 2419
 ✉ info@mlcd.com.au
 🌐 mlcd.com.au



M & C Plaster Supply

☎ VIC (03) 9362 0214
 ✉ info@mcplaster.com.au
 🌐 mcplastersupplies.com.au