Woodworks™ Linear Planks

Distributed by

GRAYKING INTERIOR SUPPLY

WOODWORKS™

Woodworks™ Linear Planks

Laminates

FL(L) – Flaxen

AC(L) – Acacia

TE(L) – Tasman Elm

Veneers (Also available in Laminates)

HP(L)(V) – Hoop Pine Rotary Cut

TO(L)(V) – Tasmanian Oak Quarter Cut

AW(L)(V) – American Walnut Crown Cut

- Attractive linear visual
- Easy to install, pre-engineered grid and plank system – all from one supplier
- Acoustical performance for a more comfortable environment
- Range of veneers and laminates
- Two standard plank widths; 80mm or 130mm, with 20mm reveals
- Ceiling or wall application

Colours are representative and may vary from samples and actual product.

Physical Data

System Selection

Edge Profile	Item Number	Dimensions	Acoustics: NRC
WOODWORKS™ Linear – Nominal 100mm Module	WO80	2400 x 80 x 17mm with 20mm reveal Open area: 18%	0.50* 0.80* with Optra 15 overlay
WOODWORKS Linear – Nominal 150mm Module	W0130	2400 x 130 x 17mm with 20mm reveal Open area: 12%	0.45* 0.65* with Optra 15 overlay

* Note: Acoustic values based on open area and other correlating WoodWorks test data.

Conforms with NCC Spec. C1.10 as tested to AS 5637.1:2015 – Group 3

Moisture Resistant MDF

Suspension System

Item Number	Description	Dimensions	Pieces/Carton
BP734043BLW100	PeakForm™ Prelude™ XL 24mm Main Bars (Black) with integrated (factory applied) locking clips installed at 100mm centres	3600 x 24 x 43mm	10
BP734043BLW150	PeakForm™ Prelude™ XL 24mm Main Bars (Black) with integrated(factory applied) locking clips installed at 150mm centres	3600 x 24 x 43mm	10

FSC www.fsc.org MIX Wood from responsible sources

Accessories and Specification

Item Number	Description
WWLS80	Linear Wood Plank Splice 80mm

Linear Splice Detail

Item Number	Description
WWLS130	Linear Wood Plank Splice 130mm

Access Panel Assembly

Specification: WOODWORKS Linear Planks with Black PeakForm™ Prelude™ XL 24mm Tee Suspension Grid, with factory pre-fitted locking clips. Main Bars to be installed at 600centres

Application: WOODWORKS™ are for interior application only

Panel Material: Moisture Resistant MDF

Surface Finish: Laminate, Veneer.
Note: Variation among panels may occur due to the natural characteristics of the wood and grain

Acoustic Inlay: Black acoustic fleece as standard

Plank Sizes: 80mm or 130mm

System Weight: 10.5 kg/m² (80mm plank with Prelude XL 24mm Grid)
12.5 kg/m² (130mm plank with Prelude XL 24mm Grid)

Perimeter Solutions: Range of standard Axiom aluminium wall angles, transition trims or pelmets

Item Numbers: Item numbers have three elements:

EXAMPLE: **WO80** **HP** **(L) (V)**

- **Panel:** Linear Plank 80mm wide
- **Finish:** Hoop Pine Rotary Cut
- **Material:** Laminate or Veneer

Ceiling to Wall Transitions

90º Ceiling-to-Wall System Assembly

Contact us

NSW

65A Stephen Road
Botany New South Wales 2019
(02) 9666 6688
sales@grayking.com.au

QLD

(07) 3267 6222
sales@grayking.com.au

©2021 Armstrong Ceiling Solutions (Australia) Pty Ltd
AWP0921 | Produced 20 September 2021

Distributed by

GRAYKING INTERIOR SUPPLY

Grayking Interior Supply Pty Ltd
sales@grayking.com.au
www.grayking.com.au